

Operation of Chainsaw to Cut Vegetation SWMS #2

Safe Work Method Statement Required for all High Risk Activities identified for the Project



* This column is used to undertake frequent Workplace Audits/Inspection to verify controls are in place.
 # If a control measure is "ongoing" indicate: "ONGOING". If "one off" action required i.e. to eliminate a hazard in the workplace a sign off is required from person responsible for implementation of the action.
 ## THIS PROJECT RISK ASSESSMENT/SWMS MUST BE AUTHORISED AS CORRECT AND APPLICABLE BY A DIRECTOR OR OHS MANAGER & the PROJECT MANAGER & SUPERVISOR PRIOR TO USE
 LATEST UPDATES ARE SHADED!!

ADDRESS: Various JOB ACTIVITY: Operation of a chainsaw to cut vegetation SWMS No: 2 SWMS Date: 28/1/15	Site Supervisor : Various Last Review Date: 14/11/16 SWMS must be reviewed whenever necessary eg. If something changes or there is an incident or near miss.	OHS Regulations, Codes & Standards Reviewed By: All Staff
--	---	---

Names of staff that have read and understand this SWMS: **Stephen Bayley, Angus Cullenward, Daniel Bayley, Ashley Morrison, David Smith**

Task/Item/ Job Step	Hazards Identified <i>Situation that could cause injury or illness when task is performed.</i>	Risk rating	Practical Risk Control Measures/Job Method <i>List control measures required to eliminate or minimise the risk of injury from the identified hazard in accordance with the HIERARCHY OF RISK CONTROL MEASURES.</i>	Control	Permit to Work/ Competency Required? YES/NO Type	Responsible Supervisor or above to implement control action	#Action Taken Sign Off	*Audit Check Off * or ✓
Review Work Planned for the day	Unsuitable Plant, Equipment or Tools	2	Conduct daily safety inspection of tools, including chainsaw brake, chain, catches, covers Ensure chainsaw maintenance as per manufacturer recommendations Ensure spark arrestor fitted and functional	5	NO	FIELD CREW		
Emergency Preparedness	Unsuitable communication plan Unsuitable First Aid Kit or Spill Kit	2 2 2	Identify means of emergency communication with external parties Ensure First Aid and Spill Kit are stocked and accessible Ensure current MSDS available on vehicle	5		FIELD CREW		
Fuelling	Flammable hazard Inhalation and skin contact hazard Fuel Spill hazard	2 2 2	Refuel in well ventilated area, ensure machine is off when refuelling, only allow fuel in approved containers Ensure fire extinguisher is present and serviceable Wear gloves, refer MSDS for action required if skin contact or spill	4 5 6		FIELD CREW		
Transporting Fuel and Oil	Fuel or Oil spill	2	Ensure only approved containers are used for storage and transport of fuels and oils Ensure spill kit available and fit for use, personnel trained in use Ensure applicable MSDS are available on vehicle Ensure secure Fuel and Oil storage area on vehicle	3 5		FIELD CREW		
Driving to/ Arriving at Site	Road Traffic Fatigue Unlicensed driver	1 1 2	Ensure all applicable road laws and speed limits are observed Take regular breaks, rotate drivers if applicable Carry current endorsed licence on person at all times	5				
Setting up	Movement of vehicles	1	Conduct a worksite Hazard Assessment and complete HAC,	2		FIELD CREW		

Operation of Chainsaw to Cut Vegetation SWMS

Safe Work Method Statement Required for all High Risk Activities identified for the Project



Task/Item/Job Step	Hazards Identified <i>Situation that could cause injury or illness when task is performed.</i>	Risk rating	Practical Risk Control Measures/Job Method <i>List control measures required to eliminate or minimise the risk of injury from the identified hazard in accordance with the HIERARCHY OF RISK CONTROL MEASURES.</i>	Control	Permit to Work/Competency Required? YES/NO Type	Responsible <i>Supervisor or above to implement control action</i>	#Action Taken Sign Off	*Audit Check Off * or ✓
site/ Pre start checks	Structures/Services Falls of people (incl. trips/slips) Noise Dangerous Animals Traffic / Pedestrians	1 1 2 2 1	Visually inspect site for services/structures, delineate if necessary Adjust piece size to ensure control of all cut material Ensure all equipment is correctly stowed when not in use to prevent trip hazard Ensure PPE available and utilised Visual inspection for any animals, contact owner to restrain or remove animals Delineate worksite and utilise Safety Observer	5 6				
Sharpening Chain	Cuts Burns Incorrect technique resulting in uneven chain	2 2 2	Replace chain guard when not in use, wear appropriate gloves, replace/sharpen chain as required Restrain saw whilst sharpening, use correct tools, ensure chain sharpening is even along chain	2 5		FIELD CREW		
Assess vegetation to be actioned	Broken or split branches, structural defects, vines, Wasp and insect sting Proximity of vegetation to electrical hazard Foreign objects	1 3 1 2	Use ropes/rigging to control branches, adjust piece size Inspect tree prior to cutting, remove insects if possible, reschedule work Utilise safety observer, operate to qualified limits of approach Visual inspection of tree prior to cutting, remove any objects identified	4 5				
Clear Vegetation	Unsafe work practice Kickback Falling objects/branches Flying particles Dust and debris entering eyes Manual Handling	1 1 1 2 2 2 2	Ensure all personnel have current training for task Correct use of sharp saw, always use both hands to control saw, adjust stance as necessary to maintain control of saw, avoid cutting with tip of bar Safety observer to ensure no-one enters drop zone Maintain safe distance from other personnel, minimum 2 mtrs Utilise eye protection Adjust piece size, utilise team lifting	2 5		FIELD CREW		
Clean up	Slip or trip hazard	2	Ensure any ground surface disturbance is returned to pre-work state or	5		FIELD CREW		

All employees, subcontractors and others affected by the hazards in this Assessment must sign an Involvement & Verification of Understanding Register attached

Risk Control Type Hierarchy Key: 1 = Eliminate, 2 = Substitute, 3 = Isolate, 4 = Engineering, 5 = Administrative, 6 = PPE

Risk Rating Key: 1 = potential for death or serious injury, 2 = potential to cause serious or lost time injury, 3 = potential to cause injury that are treatable with first aid

Operation of Chainsaw to Cut Vegetation SWMS

Safe Work Method Statement

Required for all High Risk Activities identified for the Project



Task/Item/Job Step	Hazards Identified <i>Situation that could cause injury or illness when task is performed.</i>	Risk rating	Practical Risk Control Measures/Job Method <i>List control measures required to eliminate or minimise the risk of injury from the identified hazard in accordance with the HIERARCHY OF RISK CONTROL MEASURES.</i>	Control	Permit to Work/Competency Required? YES/NO Type	Responsible <i>Supervisor or above to implement control action</i>	#Action Taken Sign Off	*Audit Check Off * or ✓
worksite	Blockage of drainage lines Poor workmanship Injury from tool or equipment Vehicle/Equipment damage or loss		cordoned off until such works can be undertaken. Traffic control is the last item to be removed from the site. Ensure all debris is removed from site or stacked neatly Ensure site is checked prior to departure for professional finish Isolate and disconnect tools, fit protective covers/sleeves prior to stowing Ensure all items are securely stowed in appropriate locker and/or tied down prior to travelling between sites					

Plant & Equipment to be Used	Inspection and maintenance checks carried out
PPE - Hard hat, Ear muffs, Gloves, Cut resist pants, steel cap boots, Protective eyewear	Helmet replaced 2 yr from date of issue, In serviceable condition, fit for purpose Pre use, Ankle high lace up in good condition
First Aid Kit	Replenish stock as required, annual inspection
Fire extinguisher	Fit for purpose - annual inspection
Chainsaw	Daily inspection including check of "chain brake"
Petrol/Oil	Visual Check for leaks
Oil Spill Kit	Fit for purpose - Bi-annual inspection

Qualification/training required for this activity:
<ul style="list-style-type: none"> Manual Handling Hearing Conservation Worksite Traffic Management (1 on site) First Aid Level 2 Chainsaw Level 1

All employees, subcontractors and others affected by the hazards in this Assessment must sign an Involvement & Verification of Understanding Register attached
 Risk Control Type Hierarchy Key: 1 = Eliminate, 2 = Substitute, 3 = Isolate, 4 = Engineering, 5 = Administrative, 6 = PPE

Risk Rating Key: 1 = potential for death or serious injury, 2 = potential to cause serious or lost time injury, 3 = potential to cause injury that are treatable with first aid

Operation of Chainsaw to Cut
Vegetation SWMS

Safe Work Method Statement
Required for all High Risk Activities identified for the Project



Task/Item/ Job Step	Hazards Identified <i>Situation that could cause injury or illness when task is performed.</i>	Risk rating	Practical Risk Control Measures/Job Method <i>List control measures required to eliminate or minimise the risk of injury from the identified hazard in accordance with the HIERARCHY OF RISK CONTROL MEASURES.</i>	Control	Permit to Work/ Competency Required? YES/NO Type	Responsible <i>Supervisor or above to implement control action</i>	#Action Taken Sign Off	*Audit Check Off * or ✓
------------------------	---	-------------	---	---------	---	---	------------------------------	----------------------------------

The persons (employees, subcontractors and others) that have signed below:

1. been involved in the hazard/risk assessment and the determination of the hazard/risk controls applicable to their tasks, duties and responsibilities
2. had all hazards and risk controls have been communicated to them
3. and are fully aware of and understand the hazards/risks and safety risk controls and rules required
4. agreed to all the hazard/risk controls
5. agreed to and understand their Duty of Care to themselves and others
6. agreed that they are the person responsible for site supervision of the work, inspecting and approving work areas, work methods, compliance with SWMS, protective measures, plant, equipment and power tools.

Print name clearly date a sign here:

All employees, subcontractors and others affected by the hazards in this Assessment must sign an Involvement & Verification of Understanding Register attached

Risk Control Type Hierarchy Key: 1 = Eliminate, 2 = Substitute, 3 = Isolate, 4 = Engineering, 5 = Administrative, 6 = PPE

Risk Rating Key: 1 = potential for death or serious injury, 2 = potential to cause serious or lost time injury, 3 = potential to cause injury that are treatable with first aid

Operation of Chainsaw to Cut Vegetation SWMS

Safe Work Method Statement

Required for all High Risk Activities identified for the Project



Task/Item/Job Step	Hazards Identified <i>Situation that could cause injury or illness when task is performed.</i>	Risk rating	Practical Risk Control Measures/Job Method <i>List control measures required to eliminate or minimise the risk of injury from the identified hazard in accordance with the HIERARCHY OF RISK CONTROL MEASURES.</i>	Control	Permit to Work/Competency Required? YES/NO Type	Responsible <i>Supervisor or above to implement control action</i>	#Action Taken Sign Off	*Audit Check Off * or ✓
--------------------	---	-------------	---	---------	---	---	---------------------------	----------------------------

OHS Regulations, Codes, Standards reviewed and incorporated in developing the risk control measures contained in this document:			
OHS Regulations (Vic).	✓	Codes of Practice & Standards	✓
Occupational Health and Safety (Asbestos) Regulations 2007		Confined Spaces (September 2008)	
Occupational Health and Safety (Manual Handling) Regulations 2007	✓	Removing Asbestos in Workplaces (September 2008)	
Occupational Health and Safety (Prevention of Falls) Regulations 2007	✓	Dangerous Goods Storage and Handling (No. 27, 2000)	
Occupational Health and Safety (Confined Spaces) Regulations 2007		First Aid in the Workplace (September 2008)	✓
Occupational Health and Safety (Plant) Regulations 2007	✓	Prevention of Falls in General Construction (September 2008)	✓
Occupational Health and Safety (High Risk Work) Regulations 2007	✓	Hazardous Substances (No. 24, June 2000)	✓
Occupational Health and Safety (Hazardous Substances) Regulations 2007	✓	Plant (No. 19, 1995)	✓
Occupational Health and Safety (Lead) Regulations 2007		Plant (Amendment No 1) (No. 23, 1998)	
Occupational Health and Safety (Hazardous Industries) Regulations 2007	✓	Safety Precautions in Trenching Operations (No. 8, 1998)	
Occupational Health and Safety (Licences and Registration) Regulations 2007	✓	Manual Handling (No. 25, 2000)	✓
Occupational Health and Safety Act, 2004	✓	Manual of uniform traffic control Devices AS1742.3-2009	✓
Road Management Act 2004		Electrical Installations – Construction and Demolition Sites AS3012	
Road Management Regulations 2005		In Service Safety & Inspection of Electrical Equipment AS370	
Occupational Health and Safety Noise Regulations 2007	✓	Safe Working in a Confined Space AS2865	

All employees, subcontractors and others affected by the hazards in this Assessment must sign an Involvement & Verification of Understanding Register attached

Risk Control Type Hierarchy Key: 1 = Eliminate, 2 = Substitute, 3 = Isolate, 4 = Engineering, 5 = Administrative, 6 = PPE

Risk Rating Key: 1 = potential for death or serious injury, 2 = potential to cause serious or lost time injury, 3 = potential to cause injury that are treatable with first aid